


Examination in identifying discrepancies in the application as filed.

Applicant further acknowledges that a filing date has been granted in the above-identified application.

Respectfully submitted,

A handwritten signature in cursive script, followed by the date "4/2/01" written in a similar style.

Jeffrey C. Maynard, Registration No. 46,208

Attorney for Applicant
Draughon Professional Association
One Independent Drive, Suite 2000
Jacksonville, FL 32202
Phone: (904) 358 - 3777
Fax: (904) 353 - 6927




FIG. 1

The diagram illustrates a cooling system for a main engine (10). The system includes a water pump (63) driven by a 240V motor (64). The water pump circulates water through a heat exchanger (57) and a main engine thermostat (65). The heat exchanger (57) is connected to an oil pump (78) and an oil thermostat (83). The oil pump (78) is driven by a 240V motor (77). The oil thermostat (83) is connected to a 2x3KW heater (80). The main engine thermostat (65) is connected to a 3x3KW heater (66). The main engine (10) is connected to the water pump (63) and the main engine thermostat (65). The diagram also shows a 240V power source (60) connected to the heaters (80, 66) and the water pump (64). Various components are labeled with numbers: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

FIG. 2




FIG. 4




FIG. 3




FIG. 5

105010-22220




FIG. 6

The diagram illustrates a complex electrical system powered by a 240 Vac 60 Hz generator. The system includes several pumps (Oil Pump, Water Heat, WTR Pump), heaters (WTR Heat, Oil Heat, Cab Heater), a battery charger, an air conditioner, and various receptacles (240 Vac and 120 Vac). The wiring is detailed with numerous components and handwritten annotations. Key components and annotations include:

- Generator:** 240 Vac 60 Hz, labeled with handwritten '48'.
- Pumps:** OIL PUMP (78), WATER HEAT (158), WTR PUMP (63).
- Heaters:** WTR HEAT (68, 67, 66), OIL HEAT (80, 81, 21).
- Other Components:** BATTERY CHARGER (132), CAB HEATER (135), AIR CONDITIONER (134), 240 Vac RECEPTICLE (153), 120 Vac RECEPTICLE (163).
- Handwritten Annotations:** 157, 159, 161, 155, 150, 163, 153, 149, 145, 140, 132, 135, 134, 80, 68, 67, 66, 63, 81, 21.

FIG. 7




FIG. 9